

MEDIAVAULT[®] BIN

Secure Chain of Custody



from Collection to Destruction



How it Works:

The MediaVault® Bin provides a secure, controlled environment for end-of-life media from the moment of collection. A tamper-proof, lockable lid ensures no items can be introduced or removed by unauthorized parties during transport. A plexiglass window allows easy viewing of contents at all times. Both models are compatible with the MediaVision® Scanner, which can be mounted directly on top of the bin for an integrated, closed-loop chain-of-custody workflow.

MediaVault® Bin

- Lockable, tamper-proof lid | Transport to destruction device

MediaVault® Adjustable Bin

- Hydraulic lift for effortless unloading | Built for high-volume environments

Key Features & Benefits:

- **Tamper-proof, lockable lid.** No unauthorized access during collection or transport.
- **Plexiglass viewing window.** Easy visual verification of bin contents at all times.
- **Commercial-grade construction.** Built for durability in office, data center, and field environments.
- **Hydraulic lift (Adjustable Bin only).** Brings heavy loads to the top for effortless, ergonomic unloading.
- **6-wheel design.** Exceptional maneuverability through tight spaces and around corners.
- **MediaVision® Scanner compatible.** Mount the scanner directly on top for integrated intake scanning and chain-of-custody documentation.
- **Closed-loop ready.** Pairs seamlessly with all Phiston data destruction machines for a complete end-of-life workflow.

TWO DIFFERENT MODELS

MediaVault® Bin

A tamper-proof, lockable bin for securely collecting and transporting end-of-life media. Simple, portable, and ready to deploy anywhere.



MediaVault® Adjustable Bin

Same secure bin, with a built-in manual hydraulic lift for effortless unloading of heavy media loads.



Secure Storage and Transport

Tamper-proof media collection, built for a secure chain of custody.

Specifications:

Media Accepted	All types of e-waste and unsanitized media
Maneuverability	(6) wheel caster design, non-marring
Debris Collection Capacity	MediaVault® Bin: Maximum(500) 3.5" HDDs, (750) 2.5" SSDs MediaVault® Adjustable Bin: Maximum(350) 3.5" HDDs, (500) 2.5" SSDs
Rated Load Capacity	MediaVault® Bin: 1000 lbs. (454 kg) MediaVault® Adjustable Bin: 1500 lbs. (680 kg)
Power Requirements	Power required for Secure Scanner 110-240V/50-60 Hz Universal autosensing power supply



Dimensions / Weight

MediaVault® Bin: 43.5" x 29" x 31.5" x 37" (L x W x D x OAH) (23 cubic feet / 0.65 cubic meters)
110.5 cm x 74 cm x 80 cm x 94 cm
110 lbs./50 kg

MediaVault® Adjustable Bin:
52" x 24" x 34" x 38.5" (L x W x D x OAH) (23 cubic feet / 0.65 cubic meters)
133 cm x 61 cm x 86 cm x 98 cm
350 lbs./160 kg



Real people. Real help.
24/7 nationwide and worldwide.



TRUSTED BY INDUSTRY LEADERS WORLDWIDE:

FORTUNE 500 COMPANIES

GOVERNMENT ENTITIES

FINANCIAL INSTITUTIONS

ITAD PROVIDERS

GLOBAL ENTERPRISES

NIST
SP 800 - 88

ISO
9001 | 14001 | 45001

DIN
66399

GDPR

GET IN TOUCH:

www.phiston.com | +1 305-517-1744 | info@phiston.com