

MEDIAVISE® COMPACT COMBO DESTROYER

Powerful. Compact. Versatile.



ACCEPTABLE MEDIA



HDD



Enterprise-
HDD



HAMR



SSD



SSD
Enterprise



MAMR



Cell/Smart
Phone



USB/Flash
Drive



DVD



Circuit Boards

Crush HDDs



Destroy SSDs



BUILT-IN ENVIRONMENTAL HEALTH AND SAFETY

- Hybrid destruction plate makes crushing various media compliant and efficient.
- This system is automatic and hands-free, making technicians jobs a breeze.
- Will not operate if lock-out doors are not engaged. Preventing any user error.

KEY FEATURES AND BENEFITS

- Compact size 26.5" x 14" x 19" (L x W x H)
- Media destruction can be performed in-house, so media never leaves your premises intact.
- Fully destroys a drive in less than 30 seconds.
- Fully automated, hands-off operation for user safety.
- Comes standard with a debris collection bin.
- No special adapters are needed for power or for crushing various media.



MEDIAVISE® COMPACT COMBO DESTROYER

TECHNICAL SPECIFICATIONS

Product Name and Model	MediaVise® Compact Combo Destroyer
Dimensions	26.5" x 14" x 19" (68 cm x 36 cm x 49cm) (L x W x H)
Weight (excludes packing and crating)	140 lbs. (63.5 kg) – 110-volt model / 220-volt model
Shipping Weight (includes packing, crating and pallet)	187 lbs. (85 kg)± 20 lbs. – 110-volt model / 220-volt model
Shipping Dimensions	37" x 41" x 27" (94 cm x 104 cm x 69 cm) (L x W H)
Power Requirements	See the label on the rear of your machine for factory settings 220 Volts A.C. ±10%, 50/60 Hz, 7.5 Amps 110 Volts A.C. ±10%, 50/60 Hz, 15 Amps Factory Configured for any international power supplies.
Power Cord Included	Length: 6 ft. (183 cm), 14 AWG, 2 Pole-3 wire grounding: C13/C14 three-prong grounded (IEC 60320) or equivalent global-region standard per request.
Ambient Operating Temperature	40 – 100 °F (4 – 37.8°C)
Media Sanitization Modality	Hydraulic crushing platform fitted with a pair of patented hybrid corrugated interlocking crushing plates, delivering 20 tons (40,000 lbs / 18,144 kg-force) of destructive forces to mangle and destroy the SSDs, PCBs, HDDs, and other types of media.
Acceptable Media	SSD, and Enterprise SSD. HDD, Enterprise HDD, HAMR, MAMR, USB/Flash drive, Smartphone/PDA, CD/DVD/Blu-Ray.
Media Sanitization Throughput	30 seconds. Debris falls into the debris bin. No need to clean the machine after each use. (120 Drives per hour)
Deployment / Transportability	Commercial grade, portable Combo Destroyer that is safe for deployment in offices, data centers, or on a truck.
Machine Control/ Monitoring	Fully automated, hands-on operation for user safety.
Media Feeding	Gravity-assisted, top-loaded manual feed port for inserting one device at a time. 1.25" x 4" x 5.75" (3 cm x 10 cm x 15 cm) (L x W x H)
Debris Collection	Debris is ejected directly into the included collection bin, which holds 1 3.5" HDD or 2 2.5" HDDs. The optional chute accessory allows debris to be discharged continuously directly into a recycling bin.
Jam/Unjam	Automatic unjam and restart, as well as manual unjam.
Safety	Completely automatic, hands-off operation. Will not operate if lock-out doors are not entirely closed, preventing hands or pieces of clothing from being carelessly caught in the machine's moving parts.
Compliance	OSHA workplace compliant for quiet and safe operations. CE and GMA compliant.