

# MEDIAVAULT<sup>®</sup> BIN

Secure Chain of Custody



from Collection to Destruction



## How it Works:

The MediaVault® Bin provides a secure, controlled environment for end-of-life media from the moment of collection. A tamper-proof, lockable lid ensures no items can be introduced or removed by unauthorized parties during transport. A plexiglass window allows easy viewing of contents at all times. Both models are compatible with the MediaVision® Scanner, which can be mounted directly on top of the bin for an integrated, closed-loop chain-of-custody workflow.

### MediaVault® Bin

- Lockable, tamper-proof lid | Transport to destruction device

### MediaVault® Adjustable Bin

- Hydraulic lift for effortless unloading | Built for high-volume environments

## Key Features & Benefits:

- **Tamper-proof, lockable lid.** No unauthorized access during collection or transport.
- **Plexiglass viewing window.** Easy visual verification of bin contents at all times.
- **Commercial-grade construction.** Built for durability in office, data center, and field environments.
- **Hydraulic lift (Adjustable Bin only).** Brings heavy loads to the top for effortless, ergonomic unloading.
- **6-wheel design.** Exceptional maneuverability through tight spaces and around corners.
- **MediaVision® Scanner compatible.** Mount the scanner directly on top for integrated intake scanning and chain-of-custody documentation.
- **Closed-loop ready.** Pairs seamlessly with all Phiston data destruction machines for a complete end-of-life workflow.

## TWO DIFFERENT MODELS

### MediaVault® Bin

A tamper-proof, lockable bin for securely collecting and transporting end-of-life media. Simple, portable, and ready to deploy anywhere.



### MediaVault® Adjustable Bin

Same secure bin, with a built-in manual hydraulic lift for effortless unloading of heavy media loads.



# Secure Storage and Transport

Tamper-proof media collection, built for a secure chain of custody.

## Specifications:

|                                   |   |
|-----------------------------------|---|
| <b>Media Accepted</b>             | All types of e-waste and unsanitized media  |
| <b>Maneuverability</b>            | (6) wheel caster design, non-marring  |
| <b>Debris Collection Capacity</b> | <b>MediaVault® Bin:</b> Maximum(500) 3.5" HDDs, (750) 2.5" SSDs<br><b>MediaVault® Adjustable Bin:</b> Maximum(350) 3.5" HDDs, (500) 2.5" SSDs |
| <b>Rated Load Capacity</b>        | <b>MediaVault® Bin:</b> 1000 lbs. (454 kg)<br><b>MediaVault® Adjustable Bin:</b> 1500 lbs. (680 kg)   |
| <b>Power Requirements</b>         | Power required for Secure Scanner<br>110-240V/50-60 Hz Universal autosensing power supply   |



### Dimensions / Weight

**MediaVault® Bin:** 43.5" x 29" x 31.5" x 37" (L x W x D x OAH) (23 cubic feet / 0.65 cubic meters)  
110.5 cm x 74 cm x 80 cm x 94 cm  
110 lbs./50 kg

**MediaVault® Adjustable Bin:**  
52" x 24" x 34" x 38.5" (L x W x D x OAH) (23 cubic feet / 0.65 cubic meters)  
133 cm x 61 cm x 86 cm x 98 cm  
350 lbs./160 kg



**Real people. Real help.**  
**24/7 nationwide and worldwide.**



# TRUSTED BY INDUSTRY LEADERS WORLDWIDE:

---

FORTUNE 500 COMPANIES

GOVERNMENT ENTITIES

FINANCIAL INSTITUTIONS

ITAD PROVIDERS

GLOBAL ENTERPRISES



**GET IN TOUCH:**

[www.phiston.com](http://www.phiston.com) | +1 305-517-1744 | [info@phiston.com](mailto:info@phiston.com)